

www.smartg4control.com
fm@smarthomegroup.com

Moscow | Abuja | Los Angeles | Hong Kong | Kairo | Dubai

ANG OPTIMUM CHOICE ALANG SA PAG-OTOMATE SA PANIMALAY



SMART INDUSTRY CORP USA

Smart Group Kusog sa sulud



Ang kompanya gilaraw uban ang panan-aw sa paghatag teknolohiya nga mutabla sa barato nga presyo sa matag usa.

Ang Smart Group Adunay International branched ug global network sa mga Distributors, Installers, Integrators, reserch institute, software house ug Training Center.

Sukad kaniadtong 1986 Till Date, ang Digitcom ug Smarthome Family naglakaw sa usa ka lig-on nga Path sa pagtubo nga naghimo niini nga usa sa Most Stable Industries sa sektor niini karon.

Gitukod sa Lig-on ang Daghang Mga Hub aron Masulbad ang Tanan nga Kinahanglanon sa Kalakal, ug Mga Kinahanglanon sa suporta sa Tech:
SmartHome Group NV-USA HUB: Pagdumala sa USA ug Latin America
Ang SmartHome Group CANADA HUB: Aron Pagdumala ang CANADA ug French speaking nodes
SmartBuilding Control - Jordan HUB: To Handle Mesopotamia, Greece and Turkey Markets Smart Solutions Group, Hong Kong HUB: Aron pagdumala sa China ug Far East Asia Markets SmartHome Control, Dubai-UAE Embassy: Aron mapadali ang alang sa GCC, North ug East Africa Network

SmartNordic ApS, Denmark HUB: Aron madumala ang Scandinavia Nordic Markets
5 Dugang nga mga HUBS ang Gitukod aron Suportahan ang Africa, Central Asia, Sub India, Australia, New Zealand & Europe

Ang Smart Group Entity ug Mga Tag-iya Naggunit Daghang narehistro nga mga Patente, Mga marka sa pamaligya, Mga Tatak nga Nahimong Nag-una nga pagdani sa Kalibutan sa Industriya sa Automation.

Ang pipila sa Mga Protocol nga Publikal nga Nirehistro mao ang:
Smart-BUS Protocol, W-BUS Protocol, Zone-BUS, Smart-MESH ug Smart-Cloud.

Ang pila sa mga Brands nga nagparehistro mao ang:
Digitcom, SmartHome, Sunseeker, W-BUS, Resound, Zone-Audio, Cool, Power Com.

Ang Smar t-BUS nga Teknolohiya Gipalihok Daghan sa among mga kaubanan sa Par ug gipaarang ang among Kumpanya nga makadawat daghang Mga Pasidungog ug Ganti sa Kalibutan. Ang pila sa mga Ganti niini mao ang:



USA

Bulawan nga Ganti ug Mark sa Kahusayan Ni CEA - USA (Labing Maayong Produkto sa Audio)



Ukraine

Ang Smart Smart Building sa Ukraine Org. - (Labing Maayong Produkto nga Maalamon Sa Ukraine Award)



Tunga'ng Sidlakan

PALME INSTALL., UAE - (Labing maayo nga Automation sa Balay ug Labing Maayo nga Sistema sa Suga)



Australia

Clipsal Australia - (Talagsaon nga Performance Smart Solutions UAE)



Alemanya

Techno Lifestyle GmbH Alemanya



UAE

C i tyScape Inte lli gent Building Committee (UAE)



Nakuha sa Smart Group ang Daghang mga Ganti sa Daghang Tuig gikan sa Daghang mga Gobyerno, ug Mga Entity sa Paghukum sa Kahanas sa: Kusog, Kahayag sa Kahayag, Pag-automate sa Home, Mga Konsepto sa Kinabuhi, Audio ug Video. Ang Labing Bag-o nga Mga Ganti mao ang:
Ang Bulawan nga Ganti ug Mark sa Kahusayan Ni CEA - USA (labing kaayo nga Produkto sa Audio
2010) Ukraine Smart Building Org. - (Labing maayo nga Smart Product Sa Ukraine Award 2010)
PALME INSTALL., UAE - (Labing Maayo nga Mga Installer sa Home Automation ug Labing Maayo nga Sistema sa Suga 2010) Clipsal Australia - (Talagsaon nga Performance Smart Solutions UAE)
Techno Lifestyle GmbH Alemanya
2011 CityScape Intelligence Building Committee (UAE)



N18 Curtain Motor

Comfortable with 25DB

NALIPAY SA KINABUHI

PANIMALAY



- Bag-ong motor nga N18 nga kurtina, ang labing epektibo nga motor nga kurtina.
- Hingpit nga katugma sa sistema sa maalamon nga panimalay, ang teknolohiya dili matapos.
- 25dB labi ka hilum nga operasyon, paghupay ug paghupay

AI
KAYANO
GWAPA




N18 Curtain Motor




N18-4A5-2

Unit : mm



N18-3E-1



Interpretation of item

N 18 - 4A5 - 2 Curtain Motor

- 2 : 2 N.M
- 5 : 5 Wires
- 4A : Electronic Limit + Receiver + Power Supply + Strong Current Control
- 18 : Appearance code
- N : Curtain Motor

N 18 -3E - 1 Curtain Motor

- 1 : 1 N.M
- 3E : Electronic Limit + Receiver + Power supply
- 18 : Appearance code
- N : Curtain Motor


DIFFERENT FEATURE :


- 3 wires or 5 wires input
- Strong Current Control
- Input voltage 100-240V
- WiFi Control
- 485/232 Control
- Support different dry contact ways
- Hand pull start
- Hand pull when power off
- Stop by resistance
- Soft start and Soft stop
- Automatic Limit
- Curtain rebound
- Constant speed synchronization
- Adjustable speed
- Up or Down installation


Item NO.	5 wires strong current	Lithium Battery	485/232	WiFi Control	Dry contact	Automatic Limit	Hand pull when power off	Stop by resistance	Soft start and Soft stop	Curtain rebound	Adjustable speed	Hand pull start
N30038		●			●	●	●	●	●	●	●	●
N30090	●		●		●	●	●	●	●	●	●	●
N30018	●			●	●	●	●	●	●	●	●	●
N30019				●	●	●	●	●	●	●	●	●

Item NO.	Item	Torque (N.m)	Power (w)	Speed (cm/s)	Rated revolution (rpm)	Working voltage (v)	Receiving frequency (MHz)	Motor length (mm)	Motor weight (kg)
N30090	N17-4A5-2 curtain motor-485	2	48	10-20	80-120	AC100-240	868	321	1.14
N30038	N17-4E-2 curtain motor	2	30	10-20	80-120	AC100-240	868	398	1.4
N30018	N18-4A5-2 curtain motor	2	48	10-20	80-120	AC100-240	868	308	0.76
N30019	N18-3E-1 curtain motor	1	36	10-20	80-120	AC100-240	868	298	0.73

N18 Motorized Curtain Function Statement







Product Features :

1. Motor has specific memory function, automatic stop sensor for the travel (no need to set travel in advance).

2. With hand-operated & motor operated mode, both are easy to operate.

3. One-stop design, built-in power + receiver, with external interface (2 x RJ11 interface)

4. Motor can start by itself by pulling just 20cm of the fabric (no need the transmitter).

5. The complete set of system with the best material, with high quality coating inside out of the track, belt with steel wire, and cloth on both side, all the hardware accessories are made of stainless steel.


6. Group control, central control .

7."S style rope runner combination "patent design, easy to assemble and disassemble, pretty appearance, can be designed to a dynamic “S” style movable curtain.


8. Strong power, low noise design, different bending track can be customized.

Wiring method of N18 terminal switch

(Note: Please use the rebound or light touch switch)




ControlMethod one :




Introductions:
①Press open, the motor runs
②Press open again, the motor stops
③press close, the motor reversal
④press close again, the motor stops

ControlMethod two :




Introductions
①Press open, the motor runs
②Press close, the motor reversal
③Press [open + close] or stop, the motor stops

ControlMethod Three :



Introductions
①Press open, the motor runs
②Press close, the motor reversal
③Press stop, the motor stops





K35 Tubular Motor

never follow the traditional route,
the technology for development




NALIPAY SA KINABUHI

PANIMALAY

- Duha ka ngipon nga taas ang katukma nga K35 tubular motor, nga nagpaila sa bag-ong klase nga teknolohiya sa pagminus sa ingay sa kabin sa Aleman.
- Paggamit sa lebel sa militar nga FSK kontra-jamming 868MHZ, built-in nga laraw sa antena
- Usa ka bug-os nga tingga sa parehas nga produkto





5 DIFFERENT FEATURE

1.No brake noise when open and stop because innovative patent brake system


2.high precision gearbox


3.Quincunx output shaft structure

4.Super 868MHZ international standard frequency to receive

5.Suspension technology makes motor more silent

Interpretation of item






Item NO.	Item	Rated torque (N.m)	Rated speed (rpm)	Power (w)	Input voltage (v)	Frequency (Hz)	Noise index (db)	Protection level (IP)	Length (mm)
D10302	K35-TP-6-28 Tubular Motor	6	28	115	AC230	50	≤28	IP44	515
D10303	K35-EL-6-28 Tubular Motor	6	28	115	AC230	50	≤28	IP44	515



Indoor Motorized Sun-shading System Solutions

Household, apartments, villas, hotel, office building



Venetian blind
Light roman blind

FSS skylight shade
FCS folding skylight shade
Install according to the roof

Curtain
Venetian blind
Roller blind

Curtain
Venetian blind
Roller blind
Honeycomb blind
Roman blind

Crank arm sun-shading curtain
Install according to the side

SMART HOME intelligent control system

Curtain
Venetian blind
Roller blind
Honeycomb blind
Light Roman blind
Roman blind
FSS skylight shade
FCS folding skylight shade
Projection screen
Crank arm sun-shading curtain

Projection screen
Install according to individual demand

Curtain
Venetian blind
Roller blind
Honeycomb blind
Roman blind

FSS skylight shade
FCS folding skylight shade
Install according to the roof

Venetian blind
Roller blind

SMART HOME intelligent control system

Cable
Radio
Center control
Intelligent cable
Control technology (RS232)
Control technology (RS485)
Dry contact technology (DCT)